Volume 2 Subject Index 1993

18%Ni-350 steel
The Rolling Texture of 18%Ni-350 Maraging Steel 2,1: 89-96

304 stainless steel
The Role of Inclusions in Crevice Corrosion of High-Alloy Austenitic Stainless Steel Tube Used in Seawater-Cooled Condensers 2,3: 445-450

ACC
Hydro-Abrasive Jet Machining Modeling for Computer Control and Optimization 2,3: 421-436

Adaptive control
Hydro-Abrasive Jet Machining Modeling for Computer Control and Optimization 2,3: 421-436

Adoptive control
Neural Network-Based Control for the Fiber Placement Composite Manufacturing Process 2,5: 687-692

Alloy 720
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2,4: 545-550

Alloy 800
Localized Corrosion Studies on Materials Proposed for A Safety-Grade Sodium-to-Air Decay-Heat Removal System for Fast Breeder Reactors 2,1: 135-140

AlN
Plasma-Activated Sintering of Aluminum Nitride 2,5: 665-670

Alumina fiber
Improving Mechanical Properties of Nextel 610™-Reinforced Al-224 Alloy Through θ Phase Precipitation at the Fiber/Matrix Interface: Kinetics of the Precipitation Process 2,3: 347-352
The Effects of Binders and Heating Temperatures on the Properties of Preforms 2,3: 383-392

Alumina
Capacitance Monitoring of the Infiltration of Ceramic Particulate Preforms with Liquid Metals at 750 to 850 °C 2,3: 375-382

Aluminum alloys
Capacitance Monitoring of the Infiltration of Ceramic Particulate Preforms with Liquid Metals at 750 to 850 °C 2,3: 375-382

Aluminum
Structure Formation During Processing Short Carbon Fiber-Reinforced Aluminum Alloy Matrix Composites 2,3: 353-358
Fluidity and Microstructure Formation During Flow of Al-SiC Particle Composites 2,3: 359-364
The Effect of Pressure on the Combustion Synthesis of a Functionally-Graded Material: TiB_2-Al_2O_3-Al Ceramic-Metal Composite System 2,5: 645-650

Amorphous alloys
Further Improvement of Core Loss in Amorphous Alloys 2,2: 235-240

Animation
A Study on the Phenomenon of Chip Breaking by Computer Analysis 2,1: 113-118

Annealing
Effect of Heat Treatment on the Corrosion Resistance of Modified Aluminum-Magnesium Alloys in Seawater 2,5: 739-744

Anodic testing
The Role of Inclusions in Crevice Corrosion of High-Alloy Austenitic Stainless Steel Tube Used in Seawater-Cooled Condensers 2,3: 445-450

Attached type chip breaker
A Study on the Phenomenon of Chip Breaking by Computer Analysis 2,1: 113-118

Bainite microstructure
Toughness of Tempered Upper and Lower Bainitic Microstructures in a 4150 Steel 2,2: 255-264

Bainitic steels
Effect of Tempering on the Toughness of a Cr-Mo Bainitic Steel 2,3: 413-420

Breeder reactor materials
Localized Corrosion Studies on Materials Proposed for A Safety-Grade Sodium-to-Air Decay-Heat Removal System for Fast Breeder Reactors 2,1: 135-140

CAD/CAM
Hydro-Abrasive Jet Machining Modeling for Computer Control and Optimization 2,3: 421-436

Carbide dispersions
Soft Magnetic Properties of Carbide-Dispersed Nanocrystalline Films with High Thermal Stability 2,2: 181-192

Carbides
Mössbauer Studies of Rare Earth-Iron Hydrides, Carbides, and Nitrides 2,2: 225-234

Carburizing
Coat-Nitrocarburizing Using Triazine Polymer Reagent 2,1: 69-74

Cast superalloys
Development of Two Rhenium-Containing Superalloys for Single-Crystal Blade and Directionally Solidified Vane Applications in Advanced Turbine Engines 2,4: 481-488

Cast turbine blades
Evaluation of Service-Induced Damage and Restoration of Cast Turbine Blades 2,4: 565-570

Cathodic protection
Erosion-Corrosion Behavior and Cathodic Protection of Alloys in Seawater-Sand Slurries 2,6: 843-850

Ceramic particulate preforms
Capacitance Monitoring of the Infiltration of Ceramic Particulate Preforms with Liquid Metals at 750 to 850 °C 2,3: 375-382

Ceramic
Designing Ceramic Components for Structural Applications 2,6: 851-862

Charpy impact toughness
Toughness of Tempered Upper and Lower Bainitic Microstructures in a 4150 Steel 2,2: 255-264

Chemical vapor deposition
The High-Temperature Effective Work Function of Chemically Vapor Deposited Rhenium on a Polycrystalline Molybdenum Substrate 2,1: 97-100

Chip breaker
A Study on the Phenomenon of Chip Breaking by Computer Analysis 2,1: 113-118

Chip breaking
A Study on the Phenomenon of Chip Breaking by Computer Analysis 2,1: 113-118

CMAC
Neural Network-Based Control for the Fiber Placement Composite Manufacturing Process 2,5: 687-692

CMSX4 + Y alloy
Evaluation of High-Temperature Behavior of CMSX4 + Yttrium Single-Crystal Nickel-Base Superalloy 2,4: 497-504

Coating
Coat-Nitrocarburizing Using Triazine Polymer Reagent 2,1: 69-74

Cobalt-base alloys
Wrought Cobalt-Base Superalloys 2,4: 523-530

Cobalt-base
Evaluation of Mechanical Properties of a Low-Cobalt Wrought Superalloy 2,4: 517-522

Coefficient of thermal expansion
Development of Low Thermal Expansion Superalloys 2,4: 511-516

Cold rolled steel
Effects of Expulsion in Spot Welding of Cold Rolled Sheet Steels 2,3: 437-444

Cold rolling
Analytical Approach to Asymmetrical Cold Strip Rolling Using the Slab Method, An 2,4: 597-606

Compaction
Nonconventional Pressure-Assisted Powder Consolidation Methods 2,2: 283-290

Composite materials
Passively Damped Structural composite Materials using Resistively Shunted Piezoceramic Fibers 2,6: 887-892

Composite powders
Thermal Plasma Synthesis of SiC-Si_3N_4 Composite Powders from $SiCH_3Cl_3$-NH_3-H_2 2,3: 407-412

Composite/microstructure
The Effect of a Partially Wetting Second Phase on Conduction 2,1: 75-80
Nonconventional Pressure-Assisted Powder Consolidation Methods 2,2: 283-290

Composites
Improvement of Thermal and Mechanical Properties of Graphite/Copper Composites Through Interfacial Modification 2,3: 323-332
Development of Particulate Treatments and Coatings to Reduce SiC Degradation by Liquid Aluminum 2,3: 365-374

Compressive strength
The Effects of Binders and Heating Temperatures on the Properties of Preforms 2,3: 383-392

Computer simulation
Drawbeads in Sheet Metal Forming 2,6: 863-866

Computerized numeric databases
Guide to Locating and Accessing Computerized Numeric Materials Databases, A 2,6: 881-886

Consolidation
Modeling of the Consolidation of Continuous-Fiber Metal Matrix Composites via Foil-Fiber-Foil Techniques 2,3: 333-340
Intelligent Control of Consolidation and Solidification Processes 2,5: 671-682

Copper
Improvement of Thermal and Mechanical Properties of Graphite/Copper Composites Through Interfacial Modification 2,3: 323-332

Core loss
Further Improvement of Core Loss in Amorphous Alloys 2,2: 235-240
Production of Primary Recrystallized Si-Fe Foil with Orientation near (110)[001] and Magnetic Properties 2,3: 393-398

Corrosion resistance
Effect of Heat Treatment on the Corrosion Resistance of Modified Aluminum-Magnesium Alloys in Seawater 2,5: 739-744

Corrosion testing
Localized Corrosion Studies on Materials Proposed for A Safety-Grade Sodium-to-Air Decay-Heat Removal System for Fast Breeder Reactors 2,1: 135-140

Corrosion
Analysis of Failed Nuclear Plant Components 2,6: 799-806
Erosion-Corrosion Behavior and Cathodic Protection of Alloys in Seawater-Sand Slurries 2,6: 843-850
Post-Test Corrosion Analysis of High-Temperature Thermal Energy Storage Capsules 2,1: 125-134
A New Process for Nd-Fe-B Powder and Magnets 2,2: 173-180

Cr-Mo steel
Effect of Tempering on the Toughness of a Cr-Mo Bainitic Steel 2,3: 413-420
Localized Corrosion Studies on Materials Proposed for A Safety-Grade Sodium-to-Air Decay-Heat Removal System for Fast Breeder Reactors 2,1: 135-140

Crack growth modeling
Predictions of the Initial Non-Steady-State Crack Growth Behavior in the Creep/Fatigue of the Nickel-Base Superalloy AP1 2,4: 537-544

Crack growth
Kinetics of γ' Precipitation and Its Influence on Fatigue Crack Growth Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4G) at Room Temperature 2,1: 57-68

Crack tip mechanisms
In Situ Observations on effects of Hydrogen on Deformation and Fracture of A533B Pressure Vessel Steel 2,6: 807-818

Creep/fatigue crack growth
Predictions of the Initial Non-Steady-State Crack Growth Behavior in the Creep/Fatigue of the Nickel-Base Superalloy AP1 2,4: 537-544

Creep
Evaluation of High-Temperature Behavior of CMSX4 + Yttrium Single-Crystal Nickel-Base Superalloy 2,4: 497-504

Creep
Microstructure/Mechanical Property Relationship in a DS Cast Ni_3Al-Base Alloy 2,4: 589-596

Cumulative damage
Predictions of the Initial Non-Steady-State Crack Growth Behavior in the Creep/Fatigue of the Nickel-Base Superalloy AP1 2,4: 537-544

Cut core
Production of Primary Recrystallized Si-Fe Foil with Orientation near (110)[001] and Magnetic Properties 2,3: 393-398

Decarburization
Determination of Decarburization in Steel 2,1: 47-50

Decontamination
Analysis of Failed Nuclear Plant Components 2,6: 799-806

Decoupled subprocesses
Emerging Methods for the Intelligent Processing of Materials 2,5: 727-732

Deep drawing
A Method for Evaluating Limiting Drawing Ratios 2,1: 107-112

Deep penetration
Numerical Model for Deep Penetration Welding Processes, A 2,6: 819-838

Densification
Nonconventional Pressure-Assisted Powder Consolidation Methods 2,2: 283-290
Hot-Pressing of TiC-Graphite Composite Materials 2,5: 659-664
Plasma-Activated Sintering of Aluminum Nitride 2,5: 665-670

Density
Plasma-Activated Sintering of Aluminum Nitride 2,5: 665-670

Design
Designing Ceramic Components for Structural Applications 2,6: 851-862

Diamond-like carbon film
Structure and Properties of Amorphous Diamond-Like Carbon Films Produced by Ion Beam Assisted Plasma Deposition 2,6: 839-842

Die geometry
A Method for Evaluating Limiting Drawing Ratios 2,1: 107-112

Diffusion
Dry Sintering of Refractory Oxides at Elevated Temperatures 2,5: 733-738

Dihedral angle
The Effect of a Partially Wetting Second Phase on Conduction 2,1: 75-80

Directionally solidified columnar grain
Development of Two Rhenium-Containing Superalloys for Single-Crystal Blade and Directionally Solidified Vane Applications in Advanced Turbine Engines 2,4: 481-488

Drawbeads
Drawbeads in Sheet Metal Forming 2,6: 863-866

Edge rolling
Roll Force, Torque, Lever Arm Coefficient, and Strain Distribution in Edge Rolling 2,6: 873-880

Electrical conduction
The Effect of a Partially Wetting Second Phase on Conduction 2,1: 75-80

Electrical steel
Texture Improvement in High-Permeability Nonoriented Electrical Steel by Antimony Addition 2,2: 249-254

Electrochemical testing
The Role of Inclusions in Crevice Corrosion of High-Alloy Austenitic Stainless Steel Tube Used in Seawater-Cooled Condensers 2,3: 445-450

Electronic article surveillance
Magnetic Materials for EAS Sensors 2,2: 211-218

Electronic component failure
Use of Failure Analysis as a Preventative Quality Tool, The 2,6: 793-798

Ellipsometry
Real-Time, Heuristic-Based Control of Molecular Beam Epitaxy 2,5: 715-720

Equivalent strain
Changes in Mechanical Properties in Metal-Forming Processes 2,2: 265-270

Equivalent stress
A Study on the Phenomenon of Chip Breaking by Computer Analysis 2,1: 113-118

Erosion
Erosion-Corrosion Behavior and Cathodic Protection of Alloys in Seawater-Sand Slurries 2,6: 843-850

Exhaust nozzle components
Metal-Matrix Composites Processing Technologies for Aircraft Engine Applications 2,3: 341-346

Failure analysis
Analysis of Failed Nuclear Plant Components 2,6: 799-806
Use of Failure Analysis as a Preventative Quality Tool, The 2,6: 793-798

Failure
Analysis of Failed Nuclear Plant Components 2,6: 799-806

Fatigue crack propagation
Fatigue Crack Propagation in Single-Crystal CMSX-2 at Elevated Temperature 2,4: 489-496
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2,4: 545-550

Fatigue
Kinetics of γ' Precipitation and Its Influence on Fatigue Crack Growth Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4G) at Room Temperature 2,1: 57-68
High-Temperature Low-Cycle Fatigue Behavior of Superalloy MA 760 2,4: 531-536

Fe-Cr-Mn steels
Nitrogen concentration in Fe-Cr-Mn alloys 2.5: 651-658

FEM process modeling
Modeling of the Consolidation of Continuous-Fiber Metal Matrix Composites via Foil-Fiber-Foil Techniques 2.3: 333-340

Finite element analysis
An Innovative Strategy for Open Loop Control of Hot Deformation Processes 2.5: 703-714

Finite element method (FEM)
Intelligent Control of Consolidation and Solidification Processes 2.5: 671-682

Finite element modeling
A Study on the Phenomenon of Chip Breaking by Computer Analysis 2.1: 113-118

Finite element
A Method for Evaluating Limiting Drawing Ratios 2.1: 107-112
R-Adapted Arbitrary Lagrangian-Eulerian Finite-Element Method in Metal-Forming Simulation 2.2: 271-282

Fluidity
Fluidity and Microstructure Formation During Flow of Al-SiC Particle Composites 2.3: 359-364

Foil-fiber-foil
Modeling of the Consolidation of Continuous-Fiber Metal Matrix Composites via Foil-Fiber-Foil Techniques 2.3: 333-340

Foil
Production of Primary Recrystallized Si-Fe Foil with Orientation near (110)[001] and Magnetic Properties 2.3: 393-398

Force models
Optimum Design of the Multifacet Drill 2.4: 571-578

Forming
Drawbeads in Sheet Metal Forming 2.6: 863-866

Fracture toughness
Loss of Crack-Tip Constraints for Shallow Cracks in Bending 2.6: 867-872

Fracture
In Situ Observations on effects of Hydrogen on Deformation and Fracture of A533B Pressure Vessel Steel 2.6: 807-818

Friction
A Method for Evaluating Limiting Drawing Ratios 2.1: 107-112

Functionally graded materials
The Effect of Pressure on the Combustion Synthesis of a Functionally Graded Material: TiB_2-Al_2O_3-Al Ceramic-Metal Composite System 2.5: 645-650

Gamma prime (γ') precipitates
Evaluation of Service-Induced Damage and Restoration of Cast Turbine Blades 2.4: 565-570

Grain boundaries
The Effect of a Partially Wetting Second Phase on Conduction 2.1: 75-80

Grain boundary attack
Effect of Heat Treatment on the Corrosion Resistance of Modified Aluminum-Magnesium Alloys in Seawater 2.5: 739-744

Grain structure
Plasma-Activated Sintering of Aluminum Nitride 2.5: 665-670

Graphite fibers
Improvement of Thermal and Mechanical Properties of Graphite/Copper Composites Through Interfacial Modification 2.3: 323-332

Graphite
Hot-Pressing of TiC-Graphite Composite Materials 2.5: 659-664

Hard magnets
Nanocrystallinity and Magnetic Property Enhancement in Melt-Spun Iron-Rare Earth-Base Hard Magnetic Alloys 2.4: 579-588

Heat treating
Determination of Decarburization in Steel 2.1: 47-50
A New Method of Preparing Iso-Hardness Plots 2.1: 51-56
Coat-Nitrocarburizing Using Triazine Polymer Reagent 2.1: 69-74

Heat treatment
The Effects of Binders and Heating Temperatures on the Properties of Preforms 2.3: 383-392
Effect of Long-Term 1093 K Exposure to Air or Vacuum on the Structure of Several Wrought Superalloys 2.5: 745-758

Heuristic-based control
Real-Time, Heuristic-Based Control of Molecular Beam Epitaxy 2.5: 715-720

High permeability
New Electrical Steel with High Permeability 2.2: 169-172

High temperature fatigue
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2.4: 545-550

High-temperature creep
Creep-Induced Local Lattice Parameter Changes in a Monocrystalline Nickel-Base Superalloy 2.4: 557-564

High-temperature low-cycle fatigue
High-Temperature Low-Cycle Fatigue Behavior of Superalloy MA 760 2.4: 531-536

High-temperature
The High-Temperature Work Function of Sintered Dilute Solution Tungsten-Iridium Alloys 2.1: 81-88

Hopfield networks
An Intelligent Approach to Welding Robot Selection 2.5: 683-686

Hot isostatic pressing
Modeling of the Consolidation of Continuous-Fiber Metal Matrix Composites via Foil-Fiber-Foil Techniques 2.3: 333-340
Intelligent Control of Consolidation and Solidification Processes 2.5: 671-682

Hot workability
An Innovative Strategy for Open Loop Control of Hot Deformation Processes 2.5: 703-714

Hot-pressing
Hot-Pressing of TiC-Graphite Composite Materials 2.5: 659-664

Hydro-abrasive jet machining
Hydro-Abrasive Jet Machining Modeling for Computer Control and Optimization 2.3: 421-436

Hydrogen embrittlement
In Situ Observations on effects of Hydrogen on Deformation and Fracture of A533B Pressure Vessel Steel 2.6: 807-818

Ideal blank shapes
A Method for Evaluating Limiting Drawing Ratios 2.1: 107-112

***In situ* measurement**
Emerging Methods for the Intelligent Processing of Materials 2.5: 727-732

***In situ* sensors**
Intelligent Control of Consolidation and Solidification Processes 2.5: 671-682

IN713 alloy
Evaluation of Service-Induced Damage and Restoration of Cast Turbine Blades 2.4: 565-570

IN718
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2.4: 545-550

Inclusions
The Role of Inclusions in Crevice Corrosion of High-Alloy Austenitic Stainless Steel Tube Used in Seawater-Cooled Condensers 2.3: 445-450

Incubation
Predictions of the Initial Non-Steady-State Crack Growth Behavior in the Creep/Fatigue of the Nickel-Base Superalloy AP1 2.4: 537-544

Induction plasma deposition
Metal-Matrix Composites Processing Technologies for Aircraft Engine Applications 2.3: 341-346

Intelligent processing of materials
Intelligent Control of Consolidation and Solidification Processes 2.5: 671-682

Interface
Improving Mechanical Properties of Nextel 610™-Reinforced Al-224 Alloy Through θ Phase Precipitation at the Fiber/Matrix Interface: Kinetics of the Precipitation Process 2.3: 347-352

Intergranular phases
Plasma-Activated Sintering of Aluminum Nitride 2.5: 665-670

Intergranular stress corrosion cracking (IGSCC)
Analysis of Failed Nuclear Plant Components 2.6: 799-806

Internal stress
Creep-Induced Local Lattice Parameter Changes in a Monocrystalline Nickel-Base Superalloy 2.4: 557-564

Iron-neodymium alloys
Nanocrystallinity and Magnetic Property Enhancement in Melt-Spun Iron-Rare Earth-Base Hard Magnetic Alloys 2.4: 579-588

Iso-hardness
A New Method of Preparing Iso-Hardness Plots 2.1: 51-56

Isothermal
A Three-Dimensional Simulation of Isothermal Turbine Blade Forging by the Rigid-Viscoplastic Finite-Element Method 2,1; 119-124

Jet engines
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2,4; 545-550

Keyhole stirring
Numerical Model for Deep Penetration Welding Processes, A 2,6; 819-838

Kinetics
Kinetics of γ′ Precipitation and Its Influence on Fatigue Crack Growth Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4G) at Room Temperature 2,1; 57-68

Lagrangian-Eulerian method
R-Adapted Arbitrary Lagrangian-Eulerian Finite-Element Method in Metal-Forming Simulation 2,2; 271-282

Laser ablation
Self-Directed Control of Pulsed Laser Deposition 2,5; 721-726

Lattice mismatch
Creep-Induced Local Lattice Parameter Changes in a Monocrystalline Nickel-Base Superalloy 2,4; 557-564

Laves phases
Development of Low Thermal Expansion Superalloys 2,4; 511-516

Lever arm coefficient
Roll Force, Torque, Lever Arm Coefficient, and Strain distribution in Edge Rolling 2,6; 873-880

Life prediction
Evaluation of High-Temperature Behavior of CMSX4 + Yttrium ingle-Crystal Nickel-Base Superalloy 2,4; 497-504

Limiting drawing ratios
A Method for Evaluating Limiting Drawing Ratios 2,1; 107-112

Low constraint
Loss of Crack-Tip Constraints for Shallow Cracks in Bending 2,6; 867-872

Low-cycle fatigue
Evaluation of High-Temperature Behavior of CMSX4 + Yttrium Single-Crystal Nickel-Base Superalloy 2,4; 497-504
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2,4; 545-550

Low-silicon
New Electrical Steel with High Permeability 2,2; 169-172

Mössbauer spectroscopy
Mössbauer Studies of Rare Earth-Iron Hydrides, Carbides, and Nitrides 2,2; 225-234

MA 760
High-Temperature Low-Cycle Fatigue Behavior of Superalloy MA 760 2,4; 531-536

Machining
Machinability of A Nickel Aluminide Intermetallic Alloy 2,1; 101-106

Magnetic anisotropy
On the Theoretical Understanding of Nanocrystalline Soft Magnetic Materials 2,2; 193-198

Magnetic materials
Magnetic Materials for EAS Sensors 2,2; 211-218
High-Coercivity Samarium-Iron-Nitrogen from Nitriding Melt-Spun Ribbons 2,2; 219-224
Gas-Phase Modification of Rare-Earth Intermetallic Compounds 2,2; 241-248
Production of Primary Recrystallized Si-Fe Foil with Orientation near (110)[001] and Magnetic Properties 2,3; 393-398
Nanocrystallinity and Magnetic Property Enhancement in Melt-Spun Iron-Rare Earth-Base Hard Magnetic Alloys 2,4; 579-588

Magnetic processing
Gas-Phase Modification of Rare-Earth Intermetallic Compounds 2,2; 241-248

Magnetic properties
A New Process for Nd-Fe-B Powder and Magnets 2,2; 173-180
Control of Inhibitor Precipitation for Producing Grain-Oriented Silicon Steel 2,2; 205-210

Magnetic steel strip
Nonoriented Magnetic Steel with Improved Texture and Permeability 2,2; 199-204

Magnetic steel
Further Improvement of Core Loss in Amorphous Alloys 2,2; 235-240
Nonoriented Magnetic Steel with Improved Texture and Permeability 2,2; 199-204

Magnetic
Texture Improvement in High-Permeability Nonoriented Electrical Steel by Antimony Addition 2,2; 249-254

Maraging steel
The Rolling Texture of 18%Ni-350 Maraging Steel 2,1; 89-96

Materials databases
Guide to Locating and Accessing Computerized Numeric Materials Databases, A 2,6; 881-886

Mechanical behavior
Metal-Matrix Composites Processing Technologies for Aircraft Engine Applications 2,3; 341-346

Mechanical properties
Processing and Properties of Nb-Ti-Base Alloys 2,4; 505-510
Evaluation of Mechanical Properties of a Low-Cobalt Wrought Superalloy 2,4; 517-522
Wrought Cobalt-Base Superalloys 2,4; 523-530
Hot-Pressing of TiC-Graphite Composite Materials 2,5; 659-664

Medium carbon chromium moly steels
Toughness of Tempered Upper and Lower Bainitic Microstructures in a 4150 Steel 2,2; 255-264

Melt-spun ribbons
High-Coercivity Samarium-Iron-Nitrogen from Nitriding Melt-Spun Ribbons 2,2; 219-224

Metal cutting
Machinability of A Nickel Aluminide Intermetallic Alloy 2,1; 101-106

Metal matrix
Improvement of Thermal and Mechanical Properties of Graphite/Copper Composites Through Interfacial Modification 2,3; 323-332
Capacitance Monitoring of the Infiltration of Ceramic Particulate Preforms with Liquid Metals at 750 to 850 °C 2,3; 375-382

Metal-matrix composites
Modeling of the Consolidation of Continuous-Fiber Metal-Matrix Composites via Foil-Fiber-Foil Techniques 2,3; 333-340
Metal-Matrix Composites Processing Technologies for Aircraft Engine Applications 2,3; 341-346
Improving Mechanical Properties of Nextel 610™-Reinforced Al-224 Alloy Through θ Phase Precipitation at the Fiber/Matrix Interface: Kinetics of the Precipitation Process 2,3; 347-352
Structure Formation During Processing Short Carbon Fiber-Reinforced Aluminum Alloy Matrix Composites 2,3; 353-358
Fluidity and Microstructure Formation During Flow of Al-SiC Particle Composites 2,3; 359-364
Development of Particulate Treatments and Coatings to Reduce SiC Degradation by Liquid Aluminum 2,3; 365-374
The Effects of Binders and Heating Temperatures on the Properties of Preforms 2,3; 383-392

Microscopy
Effects of Expulsion in Spot Welding of Cold Rolled Sheet Steels 2,3; 437-444

Microstructural control
An Innovative Strategy for Open Loop Control of Hot Deformation Processes 2,5; 703-714

Microstructure, gamma prime
N18, Powder Metallurgy Superalloy for Disks: Development and Applications 2,4; 551-556

Microstructure, grain size
N18, Powder Metallurgy Superalloy for Disks: Development and Applications 2,4; 551-556

Microstructure, inclusions
N18, Powder Metallurgy Superalloy for Disks: Development nd Applications 2,4; 551-556

Microstructure
A New Method of Preparing Iso-Hardness Plots 2,1; 51-56
Fluidity and Microstructure Formation During Flow of Al-SiC Particle Composites 2,3; 359-364
Hot-Pressing of TiC-Graphite Composite Materials 2,5; 659-664
Microstructure/Mechanical Property Relationship in a DS Cast Ni_3Al-Base Alloy 2,4; 589-596

Misfit dislocations
Microstructure/Mechanical Property Relationship in a DS Cast Ni_3Al-Base Alloy 2,4; 589-596

Modern control
An Innovative Strategy for Open Loop Control of Hot Deformation Processes 2,5; 703-714

Modular remeshing
A Three-Dimensional Simulation of Isothermal Turbine Blade Forging by the Rigid-Viscoplastic Finite-Element Method 2.1: 119-124

Molecular beam epitaxy
Real-Time, Heuristic-Based Control of Molecular Beam Epitaxy 2.5: 715-720

Molybdenum
The High-Temperature Effective Work Function of Chemically Vapor Deposited Rhenium on a Polycrystalline Molybdenum Substrate 2.1: 97-100

Multi-objective optimization
Hydro-Abrasive Jet Machining Modeling for Computer Control and Optimization 2.3: 421-436

Multiloop control
Emerging Methods for the Intelligent Processing of Materials 2.5: 727-732

Nanocrystalline ferromagnets
On the Theoretical Understanding of Nanocrystalline Soft Magnetic Materials 2.2: 193-198

Nanocrystalline films
Soft Magnetic Properties of Carbide-Dispersed Nanocrystalline Films with High Thermal Stability 2.2: 181-192

Nanocrystallinity
Nanocrystallinity and Magnetic Property Enhancement in Melt-Spun Iron-Rare Earth-Base Hard Magnetic Alloys 2.4: 579-588

Nb-Ti alloy processing
Processing and Properties of Nb-Ti-Base Alloys 2.4: 505-510

Nd-Fe-B magnet
A New Process for Nd-Fe-B Powder and Magnets 2.2: 173-180

Nd-Fe-B powder
A New Process for Nd-Fe-B Powder and Magnets 2.2: 173-180

Near-net shape manufacturing
Spray Forming Quality Predictions via Neural Networks 2.5: 693-702

Net shape forming
A Novel Technique of Rapid Solidification Net-Form Materials Synthesis 2.3: 399-407

Neural control
Neural Network-Based Control for the Fiber Placement Composite Manufacturing Process 2.5: 687-692

Neural network applications
Spray Forming Quality Predictions via Neural Networks 2.5: 693-702

Neural network
An Intelligent Approach to Welding Robot Selection 2.5: 683-686
Neural Network-Based Control for the Fiber Placement Composite Manufacturing Process 2.5: 687-692

Ni_3Al
Microstructure/Mechanical Property Relationship in a DS Cast Ni_3Al-Base Alloy 2.4: 589-596

Nickel alloys
Kinetics of γ' Precipitation and Its Influence on Fatigue Crack Growth ehavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4G) at Room Temperature 2.1: 57-68

Nickel aluminide
Machinability of A Nickel Aluminide Intermetallic Alloy 2.1: 101-106

Nickel-base alloy
Fatigue Crack Propagation in Single-Crystal CMSX-2 at Elevated Temperature 2.4: 489-496

Nickel-base superalloy
Predictions of the Initial Non-Steady-State Crack Growth Behavior in the Creep/Fatigue of the Nickel-Base Superalloy AP1 2.4: 537-544
Creep-Induced Local Lattice Parameter Changes in a Monocrystalline Nickel-Base Superalloy 2.4: 557-564

Niobium alloys
Processing and Properties of Nb-Ti-Base Alloys 2.4: 505-510

Niobium-titanium alloys
Processing and Properties of Nb-Ti-Base Alloys 2.4: 505-510

Nitrides
Mössbauer Studies of Rare Earth-Iron Hydrides, Carbides, and Nitrides 2.2: 225-234
Gas-Phase Modification of Rare-Earth Intermetallic Compounds 2.2: 241-248

Nitriding
High-Coercivity Samarium-Iron-Nitrogen from Nitriding Melt-Spun Ribbons 2.2: 219-224

Nitrogen
Nitrogen Concentration in Fe-Cr-Mn Alloys 2.5: 651-658

Nonoriented electrical steel
New Electrical Steel with High Permeability 2.2: 169-172

Nonoriented magnetic steel
Nonoriented Magnetic Steel with Improved Texture and Permeability 2.2: 199-204

Nuclear power plants
Analysis of Failed Nuclear Plant Components 2.6: 799-806

Nuclear power
Localized Corrosion Studies on Materials Proposed for A Safety-Grade Sodium-to-Air Decay-Heat Removal System for Fast Breeder Reactors 2.1: 135-140

Nuclear reactor coolant piping
Analysis of Failed Nuclear Plant Components 2.6: 799-806

Nuclear
Analysis of Failed Nuclear Plant Components 2.6: 799-806

Numerical modeling
Numerical Model for Deep Penetration Welding Processes, A 2.6: 819-838

Observer-based control
Self-Directed Control of Pulsed Laser Deposition 2.5: 721-726

On-line learning
Neural Network-Based Control for the Fiber Placement Composite Manufacturing Process 2.5: 687-692

Optimization methods
An Innovative Strategy for Open Loop Control of Hot Deformation Processes 2.5: 703-714

Optimization
An Intelligent Approach to Welding Robot Selection 2.5: 683-686

Optimum design
Optimum Design of the Multifacet Drill 2.4: 571-578

Overaging
N18, Powder Metallurgy Superalloy for Disks: Development and Applications 2.4: 551-556

Oxidation
Processing and Properties of Nb-Ti-Base Alloys 2.4: 505-510
Effect of Long-Term 1093 K Exposure to Air or Vacuum on the Structure of Several Wrought Superalloys 2.5: 745-758

Particles
Fluidity and Microstructure Formation During Flow of Al-SiC Particle Composites 2.3: 359-364

Partioning
Numerical Model for Deep Penetration Welding Processes, A 2.6: 819-838

Passivation
A New Process for Nd-Fe-B Powder and Magnets 2.2: 173-180
The Role of Inclusions in Crevice Corrosion of High-Alloy Austenitic Stainless Steel Tube Used in Seawater-Cooled Condensers 2.3: 445-450

Passive damping
Passively Damped Structural composite Materials using Resistively Shunted Piezoceramic Fibers 2.6: 887-892

Path planning
An Intelligent Approach to Welding Robot Selection 2.5: 683-686

Performance test: fatigue
Kinetics of γ' Precipitation and Its Influence on Fatigue Crack Growth Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4G) at Room Temperature 2.1: 57-68

Permanent magnet
Gas-Phase Modification of Rare-Earth Intermetallic Compounds 2.2: 241-248
High-Coercivity Samarium-Iron-Nitrogen from Nitriding Melt-Spun Ribbons 2.2: 219-224
Mössbauer Studies of Rare Earth-Iron Hydrides, Carbides, and Nitrides 2.2: 225-234

Phosphate binder
The Effects of Binders and Heating Temperatures on the Properties of Preforms 2.3: 383-392

Piezoelectric ceramic fibers
Passively Damped Structural composite Materials using Resistively Shunted Piezoceramic Fibers 2.6: 887-892

Pitting
Effect of Heat Treatment on the Corrosion Resistance of Modified Aluminum-Magnesium Alloys in Seawater 2.5: 739-744

Plasma deposition
Structure and Properties of Amorphous Diamond-Like Carbon Films Produced by Ion Beam Assisted Plasma Deposition 2,6: 839-842

Plasma
Nonconventional Pressure-Assisted Powder Consolidation Methods 2,2: 283-290
Plasma-Activated Sintering of Aluminum Nitride 2,5: 665-670

Plastic deformation
Changes in Mechanical Properties in Metal-Forming Processes 2,2: 265-270

Plasticity
R-Adapted Arbitrary Lagrangian-Eulerian Finite-Element Method in Metal-Forming Simulation 2,2: 271-282

Polarization
Effect of Heat Treatment on the Corrosion Resistance of Modified Aluminum-Magnesium Alloys in Seawater 2,5: 739-744

Polycrystal
The High-Temperature Effective Work Function of Chemically Vapor Deposited Rhenium on a Polycrystalline Molybdenum Substrate 2,1: 97-100

Polymer reagent
Coat-Nitrocarburizing Using Triazine Polymer Reagent 2,1: 69-74

Powder consolidation
Plasma-Activated Sintering of Aluminum Nitride 2,5: 665-670

Powder metallurgy
N18, Powder Metallurgy Superalloy for Disks: Development and Applications 2,4: 551-556

Powder
Nonconventional Pressure-Assisted Powder Consolidation Methods 2,2: 283-290

Precipitation
Kinetics of γ' Precipitation and Its Influence on Fatigue Crack Growth Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4G) at Room Temperature 2,1: 57-68
Control of Inhibitor Precipitation for Producing Grain-Oriented Silicon Steel 2,2: 205-210
Improving Mechanical Properties of Nextel 610™-Reinforced Al-224 Alloy Through θ Phase Precipitation at the Fiber/Matrix Interface: Kinetics of the Precipitation Process 2,3: 347-352

Preform
The Effects of Binders and Heating Temperatures on the Properties of Preforms 2,3: 383-392

Pressure vessel steel
In Situ Observations on effects of Hydrogen on Deformation and Fracture of A533B Pressure Vessel Steel 2,6: 807-818

Pressure-assisted
Nonconventional Pressure-Assisted Powder Consolidation Methods 2,2: 283-290

Process control
Neural Network-Based Control for the Fiber Placement Composite Manufacturing Process 2,5: 687-692

Processing
The Effect of a Partially Wetting Second Phase on Conduction 2,1: 75-80
A New Process for Nd-Fe-B Powder and Magnets 2,2: 173-180
A Novel Technique of Rapid Solidification Net-Form Materials Synthesis 2,3: 399-407

Pulsed laser deposition
Self-Directed Control of Pulsed Laser Deposition 2,5: 721-726

Pump seal wear rings
Analysis of Failed Nuclear Plant Components 2,6: 799-806

Pump shaft cracking
Analysis of Failed Nuclear Plant Components 2,6: 799-806

Qualitative control
Self-Directed Control of Pulsed Laser Deposition 2,5: 721-726

Qualitative process automation
Self-Directed Control of Pulsed Laser Deposition 2,5: 721-726

Qualitative subprocess influences
Emerging Methods for the Intelligent Processing of Materials 2,5: 727-732

Quality control
Use of Failure Analysis as a Preventative Quality Tool, The 2,6: 793-798

Rare earth alloys
Mössbauer Studies of Rare Earth-Iron Hydrides, Carbides, and Nitrides 2,2: 225-234

Rare earth intermetallics
Gas-Phase Modification of Rare-Earth Intermetallic Compounds 2,2: 241-248

Real-time control
Real-Time, Heuristic-Based Control of Molecular Beam Epitaxy 2,5: 715-720

Refractory oxides
Dry Sintering of Refractory Oxides at Elevated Temperatures 2,5: 733-738

Residual stress
Creep-Induced Local Lattice Parameter Changes in a Monocrystalline Nickel-Base Superalloy 2,4: 557-564

Rhenium
The High-Temperature Effective Work Function of Chemically Vapor Deposited Rhenium on a Polycrystalline Molybdenum Substrate 2,1: 97-100
Development of Two Rhenium-Containing Superalloys for Single-Crystal Blade and Directionally Solidified Vane Applications in Advanced Turbine Engines 2,4: 481-488

Robot
An Intelligent Approach to Welding Robot Selection 2,5: 683-686

Roll force
Roll Force, Torque, Lever Arm Coefficient, and Strain distribution in Edge Rolling 2,6: 873-880

Roll torque
Roll Force, Torque, Lever Arm Coefficient, and Strain distribution in Edge Rolling 2,6: 873-880

Rolling texture
The Rolling Texture of 18%Ni-350 Maraging Steel 2,1: 89-96

Samarium alloys
High-Coercivity Samarium-Iron-Nitrogen from Nitriding Melt-Spun Ribbons 2,2: 219-224
Mössbauer Studies of Rare Earth-Iron Hydrides, Carbides, and Nitrides 2,2: 225-234

Samarium-iron oxide
High-Coercivity Samarium-Iron-Nitrogen from Nitriding Melt-Spun Ribbons 2,2: 219-224

Saturation magnetostriction
On the Theoretical Understanding of Nanocrystalline Soft Magnetic Materials 2,2: 193-198

Sb additions
Texture Improvement in High-Permeability Nonoriented Electrical Steel by Antimony Addition 2,2: 249-254

Self-propagating high-temperature synthesis
The Effect of Pressure on the Combustion Synthesis of a Functionally-Graded Material: TiB_2-Al_2O_3-Al Ceramic-Meta Composite System 2,5: 645-650

Sensor/controller/actuator error
Emerging Methods for the Intelligent Processing of Materials 2,5: 727-732

Sensors
Magnetic Materials for EAS Sensors 2,2: 211-218

Shallow cracks
Loss of Crack-Tip Constraints for Shallow Cracks in Bending 2,6: 867-872

Short carbon composites
Structure Formation During Processing Short Carbon Fiber-Reinforced Aluminum Alloy Matrix Composites 2,3: 353-358

SiC reinforcement
Development of Particulate Treatments and Coatings to Reduce SiC Degradation by Liquid Aluminum 2,3: 365-374

SiC-based fibers
Metal-Matrix Composites Processing Technologies for Aircraft Engine Applications 2,3: 341-346

SiC-Si_3N_4 composites
Thermal Plasma Synthesis of SiC-Si_3N_4 Composite Powders from $SiCH_3Cl_3$-NH_3-H_2 2,3: 407-412

Sievert's law
Nitrogen Concentration in Fe-Cr-Mn Alloys 2,5: 651-658

SiFe foil
Production of Primary Recrystallized Si-Fe Foil with Orientation near (110)[001] and Magnetic Properties 2,3: 393-398

Silica binder
The Effects of Binders and Heating Temperatures on the Properties of Preforms 2,3: 383-392

Silicon carbide
Capacitance Monitoring of the Infiltration of Ceramic Particulate Preforms with Liquid Metals at 750 to 850 °C 2,3: 375-382

Silicon steel
Control of Inhibitor Precipitation for Producing Grain-Oriented Silicon Steel 2.2: 205-210

Single crystal
Fatigue Crack Propagation in Single-Crystal CMSX-2 at Elevated Temperature 2.4: 489-496

Single-crystal blade
Development of Two Rhenium-Containing Superalloys for Single-Crystal Blade and Directionally Solidified Vane Applications in Advanced Turbine Engines 2.4: 481-488

Sinterability
Nonconventional Pressure-Assisted Powder Consolidation Methods 2.2: 283-290

Sintering microstructure
The Effect of a Partially Wetting Second Phase on Conduction 2.1: 75-80

Sintering
The Effect of a Partially Wetting Second Phase on Conduction 2.1: 75-80
The High-Temperature Work Function of Sintered Dilute Solution Tungsten-Iridium Alloys 2.1: 81-88
Plasma-Activated Sintering of Aluminum Nitride 2.5: 665-670
Dry Sintering of Refractory Oxides at Elevated Temperatures 2.5: 733-738

Slab method
Analytical Approach to Asymmetrical Cold Strip Rolling Using the Slab Method, An 2.4: 597-606

Sm-Co alloys
Gas-Phase Modification of Rare-Earth Intermetallic Compounds 2.2: 241-248

Sm-Fe alloys
Gas-Phase Modification of Rare-Earth Intermetallic Compounds 2.2: 241-248

Soft magnetic materials
On the Theoretical Understanding of Nanocrystalline Soft agnetic Materials 2.2: 193-198

Soft magnetics
Soft Magnetic Properties of Carbide-Dispersed Nanocrystalline Films with High Thermal Stability 2.2: 181-192

Solid lubricants
Self-Directed Control of Pulsed Laser Deposition 2.5: 721-726

Solidification
Structure Formation During Processing Short Carbon Fiber-Reinforced Aluminum Alloy Matrix Composites 2.3: 353-358
Intelligent Control of Consolidation and Solidification Processes 2.5: 671-682

Solution treatment
Effect of Heat Treatment on the Corrosion Resistance of Modified Aluminum-Magnesium Alloys in Seawater 2.5: 739-744

Spin tests
N18, Powder Metallurgy Superalloy for Disks: Development and Applications 2.4: 551-556

Spray forming technology
Spray Forming Quality Predictions via Neural Networks 2.5: 693-702

Spray forming
A Novel Technique of Rapid Solidification Net-Form Materials Synthesis 2.3: 399-407

Steady-state cracking
Predictions of the Initial Non-Steady-State Crack Growth Behavior in the Creep/Fatigue of the Nickel-Base Superalloy AP1 2.4: 537-544

Steel texture
Texture Improvement in High-Permeability Nonoriented Electrical Steel by Antimony Addition 2.2: 249-254

Steel
Determination of Decarburization in Steel 2.1: 47-50
Nitrogen Concentration in Fe-Cr-Mn Alloys 2.5: 651-658

Steelmaking
Dry Sintering of Refractory Oxides at Elevated Temperatures 2.5: 733-738

Storage capsules
Post-Test Corrosion Analysis of High-Temperature Thermal Energy Storage Capsules 2.1: 125-134

Strain distribution
Roll Force, Torque, Lever Arm Coefficient, and Strain distribution in Edge Rolling 2.6: 873-880

Strain hardening
Effect of Heat Treatment on the Corrosion Resistance of Modified Aluminum-Magnesium Alloys in Seawater 2.5: 739-744

Strain strengthening
Changes in Mechanical Properties in Metal-Forming Processes 2.2: 265-270

Strain
R-Adapted Arbitrary Lagrangian-Eulerian Finite-Element Method in Metal-Forming Simulation 2.2: 271-282

Strength
Changes in Mechanical Properties in Metal-Forming Processes 2.2: 265-270

Strengthening mechanism
Microstructure/Mechanical Property Relationship in a DS Cast Ni_3Al-Base Alloy 2.4: 589-596

Stress corrosion cracking
Analysis of Failed Nuclear Plant Components 2.6: 799-806

Stress corrosion studies
Localized Corrosion Studies on Materials Proposed for A Safety-Grade Sodium-to-Air Decay-Heat Removal System for Fast Breeder Reactors 2.1: 135-140

Stress rupture
Development of Low Thermal Expansion Superalloys 2.4: 511-516

Stress
R-Adapted Arbitrary Lagrangian-Eulerian Finite-Element Method in Metal-Forming Simulation 2.2: 271-282

Strip rolling
Analytical Approach to Asymmetrical Cold Strip Rolling Using the Slab Method, An 2.4: 597-606

Substrate
The High-Temperature Effective Work Function of Chemically Vapor Deposited Rhenium on a Polycrystalline Molybdenum Substrate 2.1: 97-100

Superalloys
Development of Low Thermal Expansion Superalloys 2.4: 511-516
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2.4: 545-550
Effect of Long-Term 1093 K Exposure to Air or Vacuum on the Structure of Several Wrought Superalloys 2.5: 745-758
Evaluation of Mechanical Properties of a Low-Cobalt Wrought Superalloy 2.4: 517-522
Evaluation of Service-Induced Damage and Restoration of Cast Turbine Blades 2.4: 565-570
High-Temperature Low-Cycle Fatigue Behavior of Superalloy MA 760 2.4: 531-536
Kinetics of γ' Precipitation and Its Influence on Fatigue Crack Growth Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4G) at Room Temperature 2.1: 57-68
N18, Powder Metallurgy Superalloy for Disks: Development and Applications 2.4: 551-556
Wrought Cobalt-Base Superalloys 2.4: 523-530

Systems analysis
Magnetic Materials for EAS Sensors 2.2: 211-218

Tempering
Effect of Tempering on the Toughness of a Cr-Mo Bainitic Steel 2.3: 413-420

Thermal conduction
The Effect of a Partially Wetting Second Phase on Conduction 2.1: 75-80

Thermal energy
Post-Test Corrosion Analysis of High-Temperature Thermal Energy Storage Capsules 2.1: 125-134

Thermal plasma synthesis
Thermal Plasma Synthesis of SiC-Si_3N_4 Composite Powders from $SiCH_3Cl_3$-NH_3-H_2 2.3: 407-412

Thermoconductivity
Plasma-Activated Sintering of Aluminum Nitride 2.5: 665-670

Thermodynamics
Nitrogen Concentration in Fe-Cr-Mn Alloys 2.5: 651-658

Thermomechanical fatigue
Evaluation of High-Temperature Behavior of CMSX4 + Yttrium Single-Crystal Nickel-Base Superalloy 2.4: 497-504

Thrust and torque
Optimum Design of the Multifacet Drill 2.4: 571-578

TiC
Hot-Pressing of TiC-Graphite Composite Materials 2.5: 659-664

Titanium alloys
Metal-Matrix Composites Processing Technologies for Aircraft Engine Applications 2.3: 341-346

Toughness
Effect of Tempering on the Toughness of a Cr-Mo Bainitic Steel 2.3: 413-420

Transgranular stress corrosion cracking (TGSCC)
Analysis of Failed Nuclear Plant Components 2,6: 799-806

Transient crack growth
Predictions of the Initial Non-Steady-State Crack Growth Behavior in the Creep/Fatigue of the Nickel-Base Superalloy AP1 2,4: 537-544

Trapezoidal controller tuning
Emerging Methods for the Intelligent Processing of Materials 2,5: 727-732

Triazine
Coat-Nitrocarburizing Using Triazine Polymer Reagent 2,1: 69-74

Tribological test
Structure and Properties of Amorphous Diamond-Like Carbon Films Produced by Ion Beam Assisted Plasma Deposition 2,6: 839-842

Tribology
Self-Directed Control of Pulsed Laser Deposition 2,5: 721-726

Tungsten-iridium alloys
The High-Temperature Work Function of Sintered Dilute Solution Tungsten-Iridium Alloys 2,1: 81-88

Turbine blade materials
Evaluation of Mechanical Properties of a Low-Cobalt Wrought Superalloy 2,4: 517-522

Turbine blade
A Three-Dimensional Simulation of Isothermal Turbine Blade Forging by the Rigid-Viscoplastic Finite-Element Method 2,1: 119-124

Turbine disks
N18, Powder Metallurgy Superalloy for Disks: Development and Applications 2,4: 551-556

Type 316LN stainless steel
Localized Corrosion Studies on Materials Proposed for A Safety-Grade Sodium-to-Air Decay-Heat Removal System for Fast Breeder Reactors 2,1: 135-140

Upper bound analysis
Roll Force, Torque, Lever Arm Coefficient, and Strain distribution in Edge Rolling 2,6: 873-880

Vacuum exposure
Effect of Long-Term 1093 K Exposure to Air or Vacuum on the Structure of Several Wrought Superalloys 2,5: 745-758

Vertical Bridgman
Intelligent Control of Consolidation and Solidification Processes 2,5: 671-682

Von Mises yield criterion
A Study on the Phenomenon of Chip Breaking by Computer Analysis 2,1: 113-118

Waspaloy IN718
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2,4: 545-550

Weibull analysis
Designing Ceramic Componenis for Structural Applications 2,6: 851-862

Welding
Effects of Expulsion in Spot Welding of Cold Rolled Sheet Steels 2,3: 437-444
An Intelligent Approach to Welding Robot Selection 2,5: 683-686

Work function
The High-Temperature Work Function of Sintered Dilute Solution Tungsten-Iridium Alloys 2,1: 81-88

X-ray diffraction
Creep-Induced Local Lattice Parameter Changes in a Monocrystalline Nickel-Base Superalloy 2,4: 557-564

Yield strength
Microstructure/Mechanical Property Relationship in a DS Cast Ni_3Al-Base Alloy 2,4: 589-596

Yttrium alloys
Mössbauer Studies of Rare Earth-Iron Hydrides, Carbides, and Nitrides 2,2: 225-234

Volume 2 Title Index 1993

Analysis of Failed Nuclear Plant Components 2,6: 799-806
Analytical Approach to Asymmetrical Cold Strip Rolling Using the Slab Method, An 2,4: 597-606
Capacitance Monitoring of the Infiltration of Ceramic Particulate Preforms with Liquid Metals at 750 to 850 °C 2,3: 375-382
Changes in Mechanical Properties in Metal-Forming Processes 2,2: 265-270
Coat-Nitrocarburizing Using Triazine Polymer Reagent 2,1: 69-74
Control of Inhibitor Precipitation for Producing Grain-Oriented Silicon Steel 2,2: 205-210
Creep-Induced Local Lattice Parameter Changes in a Monocrystalline Nickel-Base Superalloy 2,4: 557-564
Designing Ceramic Components for Structural Applications 2,6: 851-862
Determination of Decarburization in Steel 2,1: 47-50
Development of Low Thermal Expansion Superalloys 2,4: 511-516
Development of Particulate Treatments and Coatings to Reduce SiC Degradation by Liquid Aluminum 2,3: 365-374
Development of Two Rhenium-Containing Superalloys for Single-Crystal Blade and Directionally Solidified Vane Applications in Advanced Turbine Engines 2,4: 481-488
Drawbeads in Sheet Metal Forming 2,6: 863-866
Dry Sintering of Refractory Oxides at Elevated Temperatures 2,5: 733-738
Effect of a Partially Wetting Second Phase on Conduction, The 2,1: 75-80
Effect of Heat Treatment on the Corrosion Resistance of Modified Aluminum-Magnesium Alloys in Seawater 2,5: 739-744
Effect of Interstitial Content on High-Temperature Fatigue Crack Propagation and Low-Cycle Fatigue of Alloy 720 2,4: 545-550
Effect of Long-Term 1093 K Exposure to Air or Vacuum on the Structure of Several Wrought Superalloys 2,5: 745-758
Effect of Pressure on the Combustion Synthesis of a Functionally-Graded Material: TiB_2-Al_2O_3-Al Ceramic-Metal Composite System, The 2,5: 645-650
Effect of Tempering on the Toughness of a Cr-Mo Bainitic Steel 2,3: 413-420
Effects of Binders and Heating Temperatures on the Properties of Preforms, The 2,3: 383-392
Effects of Expulsion in Spot Welding of Cold Rolled Sheet Steels 2,3: 437-444
Emerging Methods for the Intelligent Processing of Materials 2,5: 727-732
Erosion-Corrosion Behavior and Cathodic Protection of Alloys in Seawater-Sand Slurries 2,6: 843-850
Evaluation of High-Temperature Behavior of CMSX4 + Yttrium Single-Crystal Nickel-Base Superalloy 2,4: 497-504
Evaluation of Mechanical Properties of a Low-Cobalt Wrought Superalloy 2,4: 517-522
Evaluation of Service-Induced Damage and Restoration of Cast Turbine Blades 2,4: 565-570
Fatigue Crack Propagation in Single-Crystal CMSX-2 at Elevated Temperature 2,4: 489-496
Fluidity and Microstructure Formation During Flow of Al-SiC Particle Composites 2,3: 359-364
Further Improvement of Core Loss in Amorphous Alloys 2,2: 235-240
Gas-Phase Modification of Rare-Earth Intermetallic Compounds 2,2: 241-248
Guide to Locating and Accessing Computerized Numeric Materials Databases, A 2,6: 881-886
High-Coercivity Samarium-Iron-Nitrogen from Nitriding Melt-Spun Ribbons 2,2: 219-224
High-Temperature Effective Work Function of Chemically Vapor Deposited Rhenium on a Polycrystalline Molybdenum Substrate, The 2,1: 97-100
High-Temperature Low-Cycle Fatigue Behavior of Superalloy MA 760 2,4: 531-536
High-Temperature Work Function of Sintered Dilute Solution Tungsten-Iridium Alloys, The 2,1: 81-88
Hot-Pressing of TiC-Graphite Composite Materials 2,5: 659-664
Hydro-Abrasive Jet Machining Modeling for Computer Control and Optimization 2,3: 421-436
Improvement of Thermal and Mechanical Properties of Graphite/Copper Composites Through Interfacial Modification 2,3: 323-332
Improving Mechanical Properties of Nextel 610™-Reinforced Al-224 Alloy Through θ Phase Precipitation at the Fiber/Matrix Interface: Kinetics of the Precipitation Process 2,3: 347-352
In Situ Observations on effects of Hydrogen on Deformation and Fracture of A533B Pressure Vessel Steel 2,6: 807-818
Innovative Strategy for Open Loop Control of Hot Deformation Processes, An 2,5: 703-714

Intelligent Approach to Welding Robot Selection, An 2,5; 683-686
Intelligent Control of Consolidation and Solidification Processes 2,5; 671-682
Kinetics of γ′ Precipitation and Its Influence on Fatigue Crack Growth Behavior of a New Single-Crystal Nickel-Based Superalloy (CMSX-4G) at Room Temperature 2,1: 57-68
Localized Corrosion Studies on Materials Proposed for A Safety-Grade Sodium-to-Air Decay-Heat Removal System for Fast Breeder Reactors 2,1; 135-140
Loss of Crack-Tip Constraints for Shallow Cracks in Bending 2,6; 867-872
Mössbauer Studies of Rare Earth-Iron Hydrides, Carbides, and Nitrides 2,2; 225-234
Machinability of A Nickel Aluminide Intermetallic Alloy 2,1; 101-106
Magnetic Materials for EAS Sensors 2,2; 211-218
Metal-Matrix Composites Processing Technologies for Aircraft Engine Applications 2,3; 341-346
Method for Evaluating Limiting Drawing Ratios, A 2,1; 107-112
Microstructure/Mechanical Property Relationship in a DS Cast Ni_3Al-Base Alloy 2,4; 589-596
Modeling of the Consolidation of Continuous-Fiber Metal Matrix Composites via Foil-Fiber-Foil Techniques 2,3; 333-340
N18, Powder Metallurgy Superalloy for Disks: Development and Applications 2,4; 551-556
Nanocrystallinity and Magnetic Property Enhancement in Melt-Spun Iron-Rare Earth-Base Hard Magnetic Alloys 2,4; 579-588
Neural Network-Based Control for the Fiber Placement Composite Manufacturing Process 2,5; 687-692
New Electrical Steel with High Permeability 2,2; 169-172
New Method of Preparing Iso-Hardness Plots, A 2,1: 51-56
New Process for Nd-Fe-B Powder and Magnets, A 2,2; 173-180
Nitrogen Concentration in Fe-Cr-Mn Alloys 2,5; 651-658
Nonconventional Pressure-Assisted Powder Consolidation Methods 2,2; 283-290
Nonoriented Magnetic Steel with Improved Texture and Permeability 2,2; 199-204
Novel Technique of Rapid Solidification Net-Form Materials Synthesis, A 2,3; 399-407
Numerical Model for Deep Penetration Welding Processes, A 2,6; 819-838
Optimum Design of the Multifacet Drill 2,4; 571-578
Passively Damped Structural composite Materials using Resistively Shunted Piezoceramic Fibers 2,6; 887-892
Plasma-Activated Sintering of Aluminum Nitride 2,5; 665-670
Post-Test Corrosion Analysis of High-Temperature Thermal Energy Storage Capsules 2,1; 125-134
Predictions of the Initial Non-Steady-State Crack Growth Behavior in the Creep/Fatigue of the Nickel-Base Superalloy AP1 2,4; 537-544
Processing and Properties of Nb-Ti-Base Alloys 2,4; 505-510
Production of Primary Recrystallized Si-Fe Foil with Orientation near (110)[001] and Magnetic Properties 2,3; 393-398
R-Adapted Arbitrary Lagrangian-Eulerian Finite-Element Method in Metal-Forming Simulation 2,2; 271-282
Real-Time, Heuristic-Based Control of Molecular Beam Epitaxy 2,5; 715-720
Role of Inclusions in Crevice Corrosion of High-Alloy Austenitic Stainless Steel Tube Used in Seawater-Cooled Condensers, The 2,3; 445-450
Roll Force, Torque, Lever Arm Coefficient, and Strain distribution in Edge Rolling 2,6; 873-880
Rolling Texture of 18%Ni-350 Maraging Steel, The 2,1: 89-96
Self-Directed Control of Pulsed Laser Deposition 2,5; 721-726
Soft Magnetic Properties of Carbide-Dispersed Nanocrystalline Films with High Thermal Stability 2,2; 181-192
Spray Forming Quality Predictions via Neural Networks 2,5; 693-702
Structure and Properties of Amorphous Diamond-Like Carbon Films Produced by Ion Beam Assisted Plasma Deposition 2,6; 839-842
Structure Formation During Processing Short Carbon Fiber-Reinforced Aluminum Alloy Matrix Composites 2,3; 353-358
Study on the Phenomenon of Chip Breaking by Computer Analysis, A 2,1; 113-118
Texture Improvement in High-Permeability Nonoriented Electrical Steel by Antimony Addition 2,2; 249-254
Theoretical Understanding of Nanocrystalline Soft Magnetic Materials, On the 2,2; 193-198
Thermal Plasma Synthesis of SiC-Si_3N_4 Composite Powders from $SiCH_3Cl_3$-NH_3-H_2 2,3; 407-412
Three-Dimensional Simulation of Isothermal Turbine Blade Forging by the Rigid-Viscoplastic Finite-Element Method, A 2,1; 119-124
Toughness of Tempered Upper and Lower Bainitic Microstructures in a 4150 Steel 2,2; 255-264
Use of Failure Analysis as a Preventative Quality Tool, The 2,6; 793-798
Wrought Cobalt-Base Superalloys 2,4; 523-530

Volume 2 Author Index 1993

Abe, N. 2,3; 393-398
Ahmad, Z. 2,5; 739-744
Aleem, A. 2,5; 739-744
Altounian, Z. 2,2; 225-234
Antolovich, B.F. 2,4; 489-496
Antolovich, S.D. 2,4; 489-496
Armatis, F.A., Jr. 2,3; 347-352
Aurrecoechea, J.M. 2,4; 481-488
Baggerly, R.G. 2,1: 47-50
Bashir, S. 2,4; 545-550
Baskaran, S. 2,3; 445-450
Bavay, J.C. 2,2; 169-172
Becker, W.T. 2,2; 255-264
Begley, E.F. 2,6; 881-886
Behan, P. 2,2; 173-180
Biermann, H. 2,4; 557-564
Birnbaum, H.K. 2,6; 807-818
Birnie, D.P., III 2,1: 75-80
Bogatin, Y. 2,2; 173-180
Bordeaux, F. 2,3; 365-374
Bosch, D.R. 2,1: 81-88
2,1: 97-100
Brentnall, W.D. 2,4; 481-488
Bush, D.R. 2,6; 851-862
Caley, W.F. 2,5; 733-738
Cameron, J. 2,5; 733-738
Charron, F.H. 2,5; 671-682
Chatterjee, S. 2,1; 101-106
Chaturvedi, M.C. 2,4; 589-596
Chen, C.-M. 2,3; 383-392
Chen, J 2,6; 839-842
Chen, X. 2,2; 225-234
Chiou, J.-M. 2,3; 383-392
Ciby, S. 2,3; 353-358
Coey, J.M.D. 2,2; 241-248
Cong, S. 2,5; 715-720
Conrad, J.R. 2,6; 839-842
Cornie, J.A. 2,3; 347-352
2,3; 375-382
D'Cruz, L.A. 2,1: 81-88
Dapkunas, S.J. 2,6; 881-886
Datsko, J. 2,2; 265-270
Davies, H.A. 2,4; 579-588
Dayal, R.K. 2,1; 135-140
Demeri, M.Y. 2,6; 863-866
DeVincent, S.M. 2,3; 323-332
Diercks, D.R. 2,6; 799-806
Dodd, R.A. 2,6; 839-842
Dreshfield, R.L. 2,4; 517-522
Drollinger, R.A. 2,1: 47-50
Dunn, J.H. 2,6; 819-838
Endo, H. 2,5; 659-664
Erickson, G.L. 2,4; 481-488
Eyink, K.G. 2,5; 715-720
Fathollahnejad, H. 2,1; 125-134
Feng, H.J. 2,5; 645-650
Flitter, L. 2,5; 683-686
Franz, R.L. 2,6; 793-798
Fuerst, C.D. 2,2; 219-224
Fujimori, H. 2,2; 181-192
Garrett, P.H 2,5; 727-732
Ghoneim, M.M. 2,3; 413-420
Ghosh, S. 2,2; 271-282
Gnanamoorthy, J.B. 2,1; 135-140
Goetz, R.L. 2,3; 333-340
Goldschmidt, D. 2,4; 497-504
Grandhi, R.V. 2,5; 703-714
Groppetti, R. 2,3; 421-436
Groza, J.R. 2,2; 283-290
2,5; 665-670
Guedou, J.Y. 2,4; 551-556
Günther, K. 2,2; 199-204
Gustafsson, T. 2,6; 873-880
Hänninen, H.E. 2,6; 807-818
Hammad, F.H. 2,3; 413-420
Han, Y.F. 2,4; 589-596
Han, Z. 2,3; 437-444
Harris, K. 2,4; 481-488
Hasegawa, N. 2,2; 181-192
Hensley, J.E, Jr. 2,5; 665-670
Herzer, G. 2,2; 193-198
Hong, B.D. 2,3; 365-374
Honnorat, Y. 2,4; 551-556
Huneus, H. 2,2; 199-204
Hwang, Y.-M. 2,4; 597-606
Hynnä, A. 2,4; 531-536
Indacochea, J.E. 2,3; 437-444
Irwin, R.D. 2,5; 703-714
Iseki, H. 2,1; 107-112
Iwasaki, M. 2,3; 393-398
Jackson, J.J. 2,3; 341-346
Jacobson, D.L. 2,1: 81-88
2,1: 97-100
2,1; 125-134
Jayaraman, T.R. 2,3; 445-450
Johnson, D.R. 2,2; 255-264
Jonas, T.R. 2,3; 375-382
Jones, J.G. 2,5; 727-732
Jovane, F. 2,3; 421-436

Kalpana, Y. 2,3; 445-450
Kamachi Mudali, U. 2,1; 135-140
Kan, T. 2,2; 205-210
2,2; 249-254
Kataoka, N. 2,2; 181-192
Kerr, W.R. 2,3; 333-340
Kettunen, P. 2,4; 531-536
Khan, A.Q. 2,1; 89-96
Khatak, H.S. 2,1; 135-140
Kikuchi, M. 2,5; 651-658
Kim, Jeong-du 2,1; 113-118
Klarstrom, D.L. 2,4; 523-530
Kleinosky, M.J. 2,6; 867-872
Klueh, R.I. 2,3; 413-420
Kochmann, T. 2,2; 199-204
Kosuge, K. 2,3; 393-398
Kubarych, K.G. 2,4; 481-488
Kumar, V. 2,1; 51-56
Kuokkala, V.-T. 2,4; 531-536
Kurtz, S.K. 2,6; 887-892
Lambrakos, S.G. 2,6; 819-838
Laube, S.J.P. 2,5; 721-726
Laurila, J. 2,4; 531-536
Lautridou, J.C. 2,4; 551-556
Lee, Eun-sang 2,1; 113-118
Lee, N.K. 2,1; 119-124
Lee, T.C. 2,6; 807-818
Lesieutre, G.A. 2,6; 887-892
L'Esperance, G. 2,3; 365-374
Li, D. 2,2; 173-180
Lichtenwalner, P.F. 2,5; 687-692
Liu, T.I. 2,4; 571-578
Loria, E.A. 2,4; 505-510
Lundberg, S.-E. 2,6; 873-880
Malas, J.C. 2,5; 703-714
2,5; 727-732
Maldini, M. 2,4; 497-504
Manaf, A. 2,4; 579-588
Manna, S.K. 2,2; 271-282
Marchionni, M. 2,4; 497-504
Mauk, S.D. 2,5; 683-686
Metzbower, E.A. 2,6; 819-838
Michal, G.M. 2,3; 323-332
Milano, J. 2,5; 683-686
Mitchell, W.J. 2,2; 265-270
Monis, A. 2,6; 819-838
Moore, D.C. 2,5; 727-732
Moore, J.J. 2,5; 645-650
Moore, P.G. 2,6; 819-838
Moran, A.L. 2,5; 693-702
Morris, R. 2,5; 683-686
Mughrabi, H. 2,4; 557-564
Mukhopadhyay, N. 2,3; 445-450
Nanstad, R.K. 2,3; 413-420
Nasreldin, A.M. 2,3; 413-420
Nguyen Thanh, L. 2,3; 365-374
Nikbin, K.M. 2,4; 537-544
Nozawa, T. 2,3; 393-398
O'Handley, R.C. 2,2; 211-218
Obara, T. 2,2; 205-210
2,2; 249-254
Ohno, T. 2,4; 511-516
Ono, T. 2,5; 659-664
Orme, M.E. 2,3; 399-407
Pai, B.C. 2,3; 353-358
Pank, D.R. 2,3; 341-346
Patterson, O.D. 2,5; 715-720
Patwardhan 2,1; 51-56
Payne, R.D. 2,5; 693-702
Persson, C. 2,4; 565-570
Persson, P.-O. 2,4; 565-570
Pinkerton, F.E. 2,2; 219-224
Plutniok, V. 2,2; 199-204
Ponnappan, R. 2,1; 125-134
Putatunda, S.K. 2,1; 57-68
Rawers, J.C. 2,5; 651-658
Ray, S. 2,3; 359-364
Rebis, R.E. 2,5; 693-702
Rhee, S.-W. 2,3; 407-412
Risbud, S.H. 2,5; 665-670
Robertson, I.M. 2,6; 807-818
Rohatgi, P.K. 2,3; 353-358
2,3; 359-364
Russell, K.C. 2,3; 375-382
Ryan, D.H. 2,2; 225-234
Saito, M. 2,2; 181-192
Sato, K. 2,4; 511-516
Sato, T. 2,2; 235-240
Satyanaryana, K.G. 2,3; 353-358
Saxena, A. 2,4; 489-496
Schoppa, A. 2,2; 199-204
Seleznev, M.L. 2,3; 347-352
Semiatin, S.L. 2,3; 333-340
Sengupta, A. 2,1; 57-68
Seon, H.-S. 2,3; 407-412
Shi, J. 2,1; 69-74
Sikka, V.K. 2,4; 505-510
Sikkenga, S.L. 2,4; 481-488
Skomski, R. 2,2; 241-248
Smith, R.W. 2,1; 69-74
Sowerby, R. 2,1; 107-112
Stark, E.F. 2,5; 721-726
Suéry, M. 2,3; 365-374
Swisher, J.H. 2,6; 843-850
Takamiya, T. 2,2; 205-210
Takashima, M. 2,2; 249-254
Takeuchi, H. 2,2; 205-210
Thomas, M.C. 2,4; 545-550
Tsao, B.-H. 2,1; 125-134
Tzou, G.-Y. 2,4; 597-606
Ueki, M. 2,5; 659-664
ul Haq, A. 2,1; 89-96
Ungár, T. 2,3; 557-564
Ushigami, Y. 2,3; 393-398
Vaidyan, V.K. 2,3; 353-358
Verdun, J. 2,2; 169-172
Viswanathan, S. 2,4; 505-510
Wang, Y.M. 2,4; 589-596
Wei, B.-Y. 2,3; 383-392
Wen, Li. 2,1; 69-74
Wereley, N.M. 2,5; 671-682
Whittenberger, J.D. 2,5; 745-758
Wu, S.M. 2,4; 571-578
Xu, Q.C. 2,6; 887-892
Yamazaki, K. 2,5; 665-670
Yang, D.Y. 2,1; 119-124
Yang, J. 2,6; 843-850
Yarandi, F.M. 2,3; 359-364
Yarlagadda, S. 2,6; 887-892
Yoon, J.H. 2,1; 119-124
Yoshikawa, S. 2,6; 887-892
Yuan, D.-W. 2,6; 867-872
Zahrah, T.F. 2,5; 671-682
Zarzour, J.F. 2,6; 867-872
Zhang, P.Z. 2,4; 579-588